



THE IN-STORE BAKING OVEN

- **EBO DOOR:** The first deck oven door that can be adjusted easily for cleaning to ensure that the inside of the door is easily accessible
- **ENERGY SAVING:** The STIR® technology reduces baking time by up to 30%. The silicone door seal and the well-insulated baking chamber with low radiant heat further decrease energy and climate control costs in your store
- **USE:** The Ebo oven can be operated easily and safely after only a short instruction course. The sideways slide-in ensures easy handling
- MODEL DIVERSITY: The 3 different heights of the baking chambers provide sufficient space for a wide range of bake types

- **BAKING CHAMBER:** The separately adjustable top/bottom heat and the coated stone slab give each bake the perfect crust, a beautiful shine and the correct volume
- **STEAMING:** Finest steam generation with the correct steam quantity for every bake
- **DESIGN:** The stylish Ebo in Stainless Steel or Nostalgic design fits perfectly into your store
- PLACE OF INSTALLATION: The extra-large glass front plate gives your customers an unrestricted view of the bakery products and entices them to purchase
- **USB PORT:** Direct playback of baking programs, logos and reading of log files
- WNET: Networking of your ovens across every store

OPTIONS

Modular construction	Capacity expansion possible at any time
STIR® Technology	Up to 30% shorter baking times due to the special coating of the heating elements
Steaming unit	Steaming device with fixed water connection
Design	Stainless Steel, Nostalgic or Nostalgic Stainless Steel



COMBINATION OPTIONS

- With all Ebo 64 and 68, Dibas and Euromat
- Steam reducer with fully-automatically controlled steam condenser
- Stand with castors or pedestal
- Hygiene prover with glass doors and castors or height-adjustable pedestals
- Storage rack



Control unit

TECHNICAL DETAILS

	Ebo 64 S Item No. X1505	Ebo 64 M Item No. X1605	Ebo 64 L Item No. X1705		
Number of layers of trays x tray dimens. (mm)	1 x 600 x 400	1 x 600 x 400	2 x 600 x 400		
External dimensions with pipework (W x D x H in mm)	930 x 958 x 300	930 x 958 x 350	930 x 958 x 450		
Internal dimensions (W x D x H in mm)	605 x 505 x 145	605 x 505 x 195	2 x 605 x 505 x 125		
Power requirements Mains Frequency Power consumption Connected load	400 V 3/N/PE 50 Hz 5.1 A 3.5 kW	400 V 3/N/PE 50 Hz 5.2 A 3.6 kW	400 V 3/N/PE 50 Hz 10.3 A 7.1 kW		
Weight with steaming device (kg)	88	91	160		
Water Pressure (kPa)	150 – 600	150 – 600	150 – 600		
Consoity of haling great at new tray (a.g. alit valla), 15 with freeh day of 10 with are haling day of pieces					

Capacity of baking product per tray (e.g. slit rolls): 15 with fresh dough, 18 with pre-baked dough pieces

TECHNICAL DRAWINGS

EBO 64 S Item No. X1505

EBO 64 M Item No. X1605

EBO 64 L Item No. X1705

1 Outlet Air 80 mm 2 Power Connection 3 Water Connection 3/4" 4 Outflow

